

MOBILE STANDS2
<b>WALL MOUNT</b> 2
INTEGRATED PC MODULE3
WIFI MODULE
SCREEN SHARE PAIRING DONGLE4
EASICABLE USB SHARING5



# **REVTOUCH MOBILE STAND**

## FEATURES:

- Mobile stands give you the flexibility to tailor the RevTouch interactive panel to your learning or meeting environment.
- Electric Stands: increase accessibility for all users.
- Electric Tilt model allows for 90 degree flat positioning, turning the display into an interactive table.







ELECTRIC LIFT STAND




**ELECTRIC LIFT & CONVERTIBLE STAND** 

DIMENSIONS & WEIGHT			
MODEL	REV-ST01	REV-EST01	REV-EST02
PRODUCT WEIGHT	49.2kg	64.9kg	73kg
SHIPPING WEIGHT	55kg	75kg	78kg
MAX LOAD	<100kg	<100kg	<100kg
MAX REVTOUCH PANEL SIZE	86"	75"	75"
LIFTING RANGE	Fixed	560mm	560mm
ACCESSORIES	Shelf Included	Shelf Included. Controlled by IFP or mount.	90° Tilt table adjustable. Controlled by IFP or mount.
SUPPORTS	65"-86" RevTouch Displays	65"-75" RevTouch Displays	65"-75" RevTouch Displays
FOR ACCESSIBILITY	Height adjust	Electric Height adjust	Electric Height & manual angle adjust
WARRANTY	2 Years	2 Years	2 Years

# **FIXED WALL MOUNT**

DIMENSIONS & WEIGHT	
MODEL	REV-WIB9060F
DIMENSIONS LXWXH	960 x 650 x 46mm
PRODUCT WEIGHT	6.0kg
SHIPPING WEIGHT	6.0kg
MAX LOAD	160kg
MAX RECOMMENDED PANEL	55-86"
WARRANTY	2 Years



REVTOUCH

www.revtouch.com | 1 (800) 946-4421 9436 Southridge Park Ct., Suite 600, Orlando, FL 32819 02



# **INTEGRATED PC MODULE**

## FEATURES:

- Intel multimedia-optimised processor i5 7th Gen with low power consumption.
- Large standard memory capacity for high-speed rendering on your RevTouch display.
- A selection of onboard storage drives to ensure programs run at full speed and lessons or presentations are always available.
- Graphics system optimised for Ultra HD display and video.
- Works with all RevTouch Displays.
- Load any PC based software you require.
- Fully Supports the latest Windows 10 operating system.



## ENHANCE THE POWER OF YOUR INTERACTIVE TOUCH PANELS WITH CUSTOM COMPUTING POWER

PC MODULE	
MODEL	REV-PCMT21i5
ТҮРЕ	Detachable PC Module
СРИ	Intel Core i5 7th Gen
RAM	4GB DDR4 memory
HARD DISK	128GB SSD drive
GRAPHICS	Integrated Intel® HD Graphics (Support 4k 2k Video)
CHIPSET	Intel H110 Express
SOUND CARD	Integrated High Definition Stereo Audio
NETWORKING (WIRED)	10/100/1000M
WIFI	802.11ac (2.4GHz/5GHz)
BLUETOOTH	Bluetooth 4.2
OPERATING SYSTEM	Windows 7 and above
USB3.0	6
LAN (RJ45)	1
VGA OUTPUT	1
EARPHONE OUT	1
MICROPHONE IN	1
WARRANTY	1 Year

## **BENEFITS**

You can use the PC software you are already used to, and your IT department may manage updates remotely over the network, or on a device by device basis. Maintenance is a breeze, as the PC module can be removed for service or swapped without affecting the RevTouch panel's built-in capabilitities to faciltate classroom learning or business collaboration.



www.revtouch.com | 1 (800) 946-4421 9436 Southridge Park Ct., Suite 600, Orlando, FL 32819

# WIFI MODULE (COMES INCLUDED WITH ALL REVTOUCH DISPLAYS)

#### FEATURES:

- WiFi USB device allows you to connect wirelessly to local devices.
- 802.11ac standard can transmit up to 433Mps.
- Dual 2.4 / 5Ghz bands permit you to choose the fastest, least congested WiFi network at your location.
- Bluetooth 4.0 permits the highest speed pairing direct between RevTouch interactive panels and your device.

NETWORKING SPECIFICATIONS		
WIFI STANDARD	802.11 a/b/g/n/ac	
BLUETOOTH	Supports 2.1/3.0/4.0	
OPERATING FREQUENCY	802.11ac: 2.4/5Ghz (5150MHz-5250MHz&5725MHz-5825MHz)	
MODULATION	802.11b: DBPSK, DQPSK and CCK and DSSS 802.11a/g: BPSK, QPSK, 16QAM, 64QAM and OFDM 802.11n: BPSK, QPSK, 16QAM, 64QAM and OFDM 802.11ac10/21/2018BPSK, QPSK, 16QAM, 64QAM, 256QAM and OFDM BT: FHSS, GFSK, DPSK, DQPSK	
DIMENSIONS & WEIGHT		
DIMENSIONS LXWXH	77 x 11 x 99mm	
PRODUCT WEIGHT	30g	
SHIPPING WEIGHT	80g	
ACCESSORIES	2 antennas, User Guide	
WARRANTY	1 Year	

# SCREEN SHARE PAIRING DONGLE

## FEATURES:

- One button wireless, screen sharing.
- Multi-user collaboration: Up to eight devices can connect at a time with the Screenshare Dongle.
- One-button pairing between the RevTouch interactive panels and your mobile devices or laptops.
- · USB port-powered, nothing else required.
- Compatible with PCs running Windows (7 and up) and Macs running OSX (10.9 and up).
- · No software installation required.
- Easy to use. Just connect via USB and start sharing.



DIMENSIONS & WEIGHT	
MODEL	REV-SM04
DIMENSIONS LXWXH	77 x 179 x 31mm
PRODUCT WEIGHT	86g
SHIPPING WEIGHT	195g
WARRANTY	1 Year



www.revtouch.com | 1 (800) 946-4421



-

# **USB SCREENSHARING EASI CABLE**

### FEATURES:

- · Connect via USB 2.0 cable directly to your RevTouch display and start sharing immediately.
- Two-way interactivity gives full touch control.
- No Software install required. Just connect and share.
- Compatible with PCs running Windows (7 and up) and Macs running OSX 10.9 and up.
- Supports 1920 x 1080 resolution.

INTERFACE SPECIFICATIONS	
USB2.0-A	1
USB2.0-A	1
HARDWARE SPECIFICATIONS	
INDICATOR LIGHT	Indicate Transmission Status
RESOLUTION	1920 x 1080@60HZ
SYSTEM	Windows 7 and above, Mac OS X 10.9 and above
TRANSMISSION DISTANCE	5m
POWER SPECIFICATIONS	
POWER REQUIREMENTS	5V DC
POWER CONSUMPTION	≤ 2.5W
DIMENSIONS & WEIGHT	
KEYNUMBER	1
DIMENSIONS LXWXH	187 x 24 x 28 mm
DIMENSION (PACKAGE) LXWXH	210 x 44 x 111 mm
PRODUCT WEIGHT	35g
SHIPPING WEIGHT	550g
ACCESSORIES	
OPERATION INSTRUCTIONS	1
USB TOUCH CABLE	1
SCREW	2
ENVIRONMENTAL CONDITIONS	
OPERATION TEMPERATURE	0°C -40°C
OPERATION HUMIDITY	10% - 90%
STORAGE TEMPERATURE	-20°C -60°C
STORAGE HUMIDITY	10% - 90%

